Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(US "6361138").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:18
L2	2	("6361138").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:23
L3	1	(container or cartridge or chamber) same rewritable with (data) same (manufactur\$3 and expiration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:24
L4	1	(container or cartridge or chamber) same rewritable with (data) same (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:39
L5	0	10/8706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:29
L6		10/706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:29
L7	2	"20040183871"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:29
L8	1	rewritable with (data) same (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:39

		EAST SearC		•		
L9	1	rewritable with (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:39
L10	3	rewritable same (manufactur\$3 and expiration) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/28 09:40
S1	4209	((347/85) or (347/86)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/28 09:16
S2	47	("4384288" "4926187" "5444223" "5574470" "5604485" "5838253" "5874902" "5914862" "5964656" "5986569" "5995006" "6043746" "6078259" "6097301" "6100840" "6104281" "6206282" "6218942" "6232870" "6265977" "6305548" "6346881" "6644771" "6938976"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:43
S3	14	(tag or RFID or identification or identifying) same (manufacturing near2 date) same ((expir\$4 or expiration) near3 date) and (read\$3 with data) same (control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 10:48
S4	2	(tag or RFID or identification or identifying) same (manufacturing near2 date) same ((expir\$4 or expiration) near3 date) and (read\$3 with data) same (control\$4) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 12:44
S5	0	S2 and expiration and manufacturing and date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 10:55
S6	5	S2 and manufacturing and date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:36

S10	5	(disabl\$3 or stop\$4 or terminat\$3) with power same (expiration or expir\$3) near2 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:38
S11	0	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same (expiration or expir\$3) near2 date and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:39
S12	6	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same (expiration or expir\$3) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:40
S13	272	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same ink and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:40
S14	0	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same ink with incorrect and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:41
S15	1	(disabl\$3 or stop\$4 or shut\$down or terminat\$3) with (power or electricity) same (ink with properties) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:42
S16	4	"6938976"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:52
S17	15	(RF or radio\$frequency or radio\$frequencies or RFID) with signal same wireless and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:55

S18	1	(RF or radio\$frequency or radio\$frequencies or RFID) with signal same wireless same (tag or RFID) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:54
S19	11	(RF or radio\$frequency or radio\$frequencies or RFID) with signal same wireless same (tag or device) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:57
S20	86	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag or device) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:58
S21	20	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag o) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:58
S22	17	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:59
S23	23	(RF or radio\$frequency or radio\$frequencies or RFID) same wireless\$2 same (tag\$1) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:05
S24	43	(RF or radio\$frequency or radio\$frequencies or RFID) and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:22
S25	900	memory with identif\$4 with color	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:22

S26	16	memory with identif\$4 with color and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:25
S27	2	memory with data with identif\$4 with color and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:27
528	33	memory with data with color and S1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
S29	0	S1 and disabler adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
S30	0	"347"/\$3 and disabler adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:43
531	0	"347"/\$3 and disable3 adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:43
S32	0	"347"/\$3 and disabl\$3 adj circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:44
S33	0	"347"/\$3 and disabl\$3 near2 circuit\$1 same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:44

S34	12	"347"/\$3 and (disabl\$3 or terminat\$3) same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:47
S35	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires) near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:49
S36	79	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:49
S37	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:28
S38	66	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:15
S39	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration near3 date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:17
540	136	"347"/\$3 and (expiration near3 date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:20
541	48	(347/85 or 347/86) and expiration near3 date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:27

S42	0	S2 and expiration	US-PGPUB;	OR	OFF	2006/02/13 15:28
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S43	10	S2 and date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:28
S44	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4) same (expiration or expires or expire) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:29
S45	16	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4 or prohibit\$3) same (expiration or expires or expire) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:29
S46		"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4 or prohibit\$3 or off or shut\$4) same (expiration or expires or expire) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:30
S47	27	"347"/\$3 and (disabl\$3 or terminat\$3 or stop\$4 or prohibit\$3 or off or shut\$4) same (expiration or expires or expire or manufactur\$3) with date	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 15:32
S48	5	"6019461".pn. or "6808255".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/17 14:11
S49	2	"20030043243"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND .	OFF	2006/02/17 13:52

	· · · · · · · · · · · · · · · · · · ·					
S50	2332	347/85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/02/17 14:13
S51	0	10/706870	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:21
S52	0	"347"/\$3 and (RFID with (rewrit\$3 and (fixed or (non\$rewrit\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:28
S53	18	"347"/\$3 and ((RFID or tag or memory) with (rewrit\$3 and (fixed or (non\$rewrit\$3))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:31
S54	54	"347"/\$3 and ((RFID or tag or memory) with ((rewrit\$3 or alterable) and (fixed or (non\$rewrit\$3) (non\$alter\$4))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:43
S55	14	(data with ((rewrit\$3 or alter\$3) and (non\$rewrit\$3 or non\$alter\$3)) and date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:46
S56	865	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4)) and date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:47
S57	105	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4)) same date)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:53

S58	3425	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 13:53
S59	65	(data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4))) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:42
S60	0	(tag same data with ((rewrit\$4 or alter\$4 or non\$fix\$4) same (fix\$4 or non\$rewrit\$4 or non\$alter\$4))) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:36
S61	1104	RFID same (Fixed or rewritable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
562	102	RFID same (rewritable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S63	0	RFID same (rewritable) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S64	489	(rewritable) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S65	158	(rewritable with data) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43

			·			
S66	6	(rewritable with data with (tag or identification)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:43
S67	2077	rewritable near data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:51
S68	32	rewritable near data and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:55
S69	158	rewritable with data and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/06/16 14:55